

On A SUBCLASS OF UNIVALENT FUNCTIONS WITH NEGATIVE COEFFICIENTS

ABDUL RAHMAN S. JUMA¹ and HAZHA ZIRAR²

¹Department of Mathematics, Alanbar University, Ramadi, Iraq ²Department of Mathematics ,
University of Salahaddin, Erbil, Kurdistan, Iraq.

Abstract

In this paper, we have introduced the subclass of univalent functions defined in the open unit disc and derived some interesting properties like coefficient estimates, distortion theorem, extreme points and radii of close- to- convexity , starlikeness and convexity.

References

- [1] Aouf, M. K. and Salagean ,G. S. , Generalization of certain subclass of convex functions and corresponding subclass of starlike functions with negative coefficients, *Mathematica*, 50(73), (2008), 119-138.
- [2] Flett,T. M. , The dual of an inequalities of Hardy and Littlewood and some related inequalities, *S. Math. Anal. Appl.* 38(1972), 746- 765.
- [3] Kanas,S. and Wisiniowska,A., Conic regions and stanlike functions, *Rev. Roum. Math. Pures Appl. Math. Soc.* 45(2000), 647- 657.
- [4] Ronning,F. , On starlike functions associated with parabolic region, *Ann. Univ Mariae Curie Sklodowska Sect. Aus* (1991), 117- 122.